

Mini Sound Level Meter w/ Bluetooth

G9400 Series - G9406-Log

The G9406-Log Mini Sound Level Meter with Bluetooth is widely used in noise detection, quality control, health & safety, and environmental studies. The compact design of G9406-Log makes it ideal for mobile measurements of sound. Noise generated in various environments, at the workplace, at machine controls, on the construction site, or at events can be easily measured and displayed. The display gives clear results of the measurements made by the sound level meter. A backlight is also integrated into the display. This noise meter is a professional instrument for outdoors and indoors use with a high measuring accuracy of 1.5 dB.



- MAX/MIN modes
Auto power off (cancelable)
- Data hold, LCD backlight
- Simulated analog bar
A (ear)/C (machine) weighting modes
- Manual/auto range selectable
Fast/slow response rate (fast: 125ms, slow: 1s)
Powered by batteries or external power source

Standard Accessories

- Operating Manual
- 1.5V AAA - 3pcs

Specifications	Range	Best Accuracy
Noise (A Weighting)	30~130dB (0.1dB Res)	±5~RH (0~99%RH)
Sampling Rate	FAST	±1.0°C
	SLOW	±2.0°F
MAX/MIN		MAX/MIN
Data Hold	0.5s	HOLD
LCD Backlight	°C/°F	Yes
Battery	Yes	AAA 1.5V*3 batteries
Working Environment	Temperature	0~40°C
	Humidity	≤80%RH
Storage Environment	Temperature	-20~60°C
	Humidity	≤75%RH