

B 90 R Classic Bp Pack

The B 90 R Classic Bp Pack battery-powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55-75 cm).











1 Extremely easy to manoeuvre

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.

2 Easy operation

- The basic functions are controlled with the EASY switch.
- Operating hours can be viewed on the display.

3 Long running time

- Large compartment for a large battery capacity. Maintenance-free gel batteries in the pack variants.
- Two-level turbo power saves energy in the WHISPER setting.

4 Quick replacement

- If required, the brush head can be replaced quickly with no need for tools
- The rollers on the R head can be changed in next to no time.

TECHNICAL DATA AND EQUIPMENT





B 90 R Classic Bp Pack

- Very easy to use
- With operating hour counterFor maintenance cleaning

Order no. 1.161-307.0 EAN code 4039784497856 Brush working width mm 550 Working width, vacuuming mm 850 Fresh/dirty water tank I 90 / 90 Theoretical area performance m²/h 4500 Brush contact pressure g/cm² / kg 20-315 / 28-35 Battery voltage V 24	
Brush working width mm 550 Working width, vacuuming mm 850 Fresh/dirty water tank I 90 / 90 Theoretical area performance m²/h 4500 Brush contact pressure g/cm²/kg 20-315 / 28-35 Battery voltage V 24	
Working width, vacuuming mm 850 Fresh/dirty water tank I 90 / 90 Theoretical area performance m²/h 4500 Brush contact pressure g/cm²/kg 20-315 / 28-35 Battery voltage V 24	
Fresh/dirty water tank I 90 / 90 Theoretical area performance m²/h 4500 Brush contact pressure g/cm²/kg 20-315 / 28-35 Battery voltage V 24	
Theoretical area performance m²/h 4500 Brush contact pressure g/cm² / kg 20-315 / 28-35 Battery voltage V 24	
Brush contact pressure g/cm² / kg 20-315 / 28-35 Battery voltage V 24	
Battery voltage V 24	
Battery capacity Ah 170	
Rated input power / Amps W 2200	
Waste container I 5 + 7	
Weight (with accessories) kg 272	
Dimensions (L × W × H) mm 1450 × 800 × 1200	
Sound pressure level dB(A) 69	

Equipment	
Powerful traction drive	I .
Battery and built-in charger included	I
Battery type	Maintenance-free
Automatic water stop	
Dose	-
2-tank system	

■ Included in the scope of supply.





		Order no.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	2.815-092.0	4 -part	24 V	170 Ah	Mainte- nance- free		Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	•
Accessories for batteries									
Battery mounting kit	2	2.638-064.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	

[■] Included in the scope of supply.

Available accessories.





















									Т
			Hardness /			Quanti-			
		Order no.	Brush type	Diameter	Colour	ty	Price	Description	
Pad drive board									
Pad drive board STRONG	1	4.762-591.0		375 mm		1		Required for use of melamine pads, but can also be used for	
						piece(s)		normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive	
								board of the cleaning head D 75. 2 pc. required.	
	2	4.762-590.0		335 mm		1		Required for use of melamine pads, but can also be used for	
						piece(s)		normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive	
								board of the cleaning head D 65. 2 pc. required.	
Pad drive board	3	4.762-447.0		375 mm		1		Pad driver plate for cleaning with pads, 335 mm diameter.	
						piece(s)		With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
	4	4.762-446.0		335 mm		1		Pad driver plate for cleaning with pads, 335 mm diameter.	H
						piece(s)		With quick-change coupling, hook plate and centre lock.	
		4702 445 0		200		1		Suitable for, e.g. D 65.	⊬
	5	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock.	
						J		Suitable for, e.g. D 55.	L
Microfibre pad			_						
Microfibre pad	6	6.371-078.0	microfibre	381 mm	White	5		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine	
						piece(s)		stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD	
								40/25 C.	
	7	6.369-959.0	microfibre	356 mm	White	5		5 microfibre pads, white With centre hole, 356 mm diame-	
						piece(s)		ter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	
	8	6.369-120.0	microfibre	280 mm	White	5		Microfibre pad set: Five white microfibre pads of diameter	Т
						piece(s)		280 mm with centre hole and outstanding cleaning power.	Ιп
								Cleans even fine stone tiles right down to the grain. Suitable for D 55 e.g	
Pads								10/ B 33 C.g	
Pad	9	6.371-000.0	medium-soft	650 mm	red	5		Medium-hard pad (650 x 300 mm) in red version for clean-	Ιп
	10	4.6.42.025.0	boud	CEO	brown	piece(s)		ing all floors in combination with the S 65 head.	上
	10	4.642-025.0	hard	650 mm	brown	5 piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastener For restoring shine in combination with the S 65 head. Only	
						piece(s)		for insensitive surfaces.	
	11	6.369-791.0	medium-soft	381 mm	red	5		5 pads, medium-soft, red, 381 mm diameter. For cleaning all	
	12	6.369-790.0	medium-hard	381 mm	green	piece(s)		floors. Suitable for, e.g. D 75. 5 pads, medium-hard, green, 457 mm diameter. For remov-	\vdash
	12	0.505 750.0	mediom nara	301 111111	Breen	piece(s)		ing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
	13	6.369-789.0	hard	381 mm	black	5		5 pads, hard, black, 381 mm diameter. For removing stub-	П
	1.4	C 2C0 002 0	modium soft	250 mm	und	piece(s) 5		born dirt and basic cleaning. Suitable for, e.g. D 75.	_
	14	6.369-003.0	medium-soft	356 mm	red	piece(s)		5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors.	0
	15	6.369-002.0	medium-hard	356 mm	green	5		5 pads, medium-hard, green. 356 mm diameter. For remov-	
	1.5	5.050.004.0		255		piece(s)		ing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	Ľ
	16	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
	17	6.371-153.0	medium-soft	280 mm	red	5		5 pads, medium-soft, red, 280 mm diameter. For cleaning all	t
						piece(s)		floors. Suitable for, e.g. D 55.	
	18	6.371-154.0	medium-hard	280 mm	green	5 pioco(c)		5 pads, medium-hard, green. 280 mm diameter. For remov-	
	19	6.371-155.0	hard	280 mm	black	piece(s) 5		ing stubborn dirt and basic cleaning. Suitable for, e.g. D 55. 5 pads, hard, black, 280 mm diameter. For removing stub-	\vdash
	13	1.0, 1 100.0			D.GCK	piece(s)		born dirt and basic cleaning. Suitable for, e.g. D 55.	











			Hardness /			Quanti-		
		Order no.	Brush type	Diameter	Colour	ty	Price	Description
Diamond pad		ı	1	1	1	1		
Diamond pad	20	6.371-252.0	coarse	385 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	21	6.371-253.0	medium	385 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.
	22	6.371-236.0	fine	385 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for highgloss crystallisation.
	23	6.371-250.0	coarse	356 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	24	6.371-251.0	medium	356 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.
	25	6.371-235.0	fine	356 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for highgloss crystallisation.
	26	6.371-246.0	coarse	280 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.
	27	6.371-247.0	medium	280 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.
	28	6.371-233.0	fine	280 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for highgloss crystallisation.
Melamine pads								
Melamine pad	29	6.371-022.0		381 mm	Grey/ white	2 piece(s)		Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces.
	30	6.371-021.0		356 mm	Grey/ white	2 piece(s)		Melamine pad set with 356 mm diameter for our B 60 W, B 80 W, B 95 RS and B 90 R scrubber driers with the D 65 disc brush head. For the effective cleaning of microporous

[■] Included in the scope of supply.

Available accessories.

















								\top
		Order no.	Length	Colour	Quanti- ty	Price	Description	
Saucogoo complete		Order no.	Length	Colool	Ly	riice	Description	_
Squeegee, complete	4	4 777 000 0	1000	Ltvananavant			Cuitable for all conventional flears and with your good	
V-squeegee	1	4.777-080.0	1000 mm	transparent	1 piece(s)		Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resist ant polyurethane with a long lifetime.	t-
	2	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life-time and for all floors. With spirit level for precise adjustment.	
Squeegee, straight	3	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
Squeegee, curved	4	4.777-401.0	850 mm	transparent	1 piece(s)			
Squeegee, curved	5	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	6	4.777-411.0	850 mm	transparent	1 piece(s)			
Squeegees for suction bars								
Suction lips for V-squeegee	7	6.273-024.0	1116 mm	transparent	2 -part		Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	
	8	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for al floors.	
Suction lips	9	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	10	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.	
	11	6.273-291.0	960 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
	12	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.	
	13	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	14	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	15	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
	16	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	

 $[\]blacksquare$ Included in the scope of supply. \square Available accessories.













		Order no.	Length	Colour	Quanti- ty	Price	Description	
Wheels/tyres								
Tyres, supergrip	1	6.435-403.0		yellow	1 piece(s)		Oil-resistant, with especially good traction.	
Miscellaneous								
Add-on kit eco!zero	2	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Dirty water tank filter	4	6.414-976.0			1 piece(s)		Improves airflow even when damp, thanks to modified filter material.	
Additional weight kit	5	5.031-498.0			1 piece(s)		ensures that squeegee glides optimally	
Dosing aids								
DS 3 Cleaning Agent Dosing Station	6	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	

[■] Included in the scope of supply.

Available accessories.

















		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes	·		·						
Roller brush	1	6.906-985.0	soft	700 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 700 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	e [
	2	4.035-190.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	[
	3	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 700 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	g [
	4	6.906-987.0	hard	700 mm	green	1 piece(s)		Roller brush, hard, green. Length: 700 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	[
	5		very hard	700 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	[
	6	6.906-981.0	soft	638 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	e [
	7	4.035-187.0	medium	638 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	
	8	6.906-982.0	high / low	638 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	g
	9	6.906-983.0	hard	638 mm	green	1 piece(s)		Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
	10	6.906-984.0	very hard	638 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	
	11	6.906-977.0	soft	532 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 532 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	a
	12	4.035-193.0	medium	532 mm	red	1 piece(s)		Medium, for all floors. Standard with R 55.	
	13	6.906-978.0	high / low	532 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 532 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	g [
	14	6.906-979.0	hard	532 mm	green	1 piece(s)		Roller brush, hard, green. Length: 532 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
	15	6.906-980.0	very hard	532 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	
		_							

[■] Included in the scope of supply.

Available accessories.















		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	_
Pad roller shaft		1	1	1	,				
Pad roller shaft	1	4.762-434.0		700 mm				fits R 75	
	2	4.762-433.0		638 mm				Pad roller shaft suitable for holding roller pads or microfibre	
	3	4.762-432.0		532 mm				rollers.	
Roller pads									
Roller pad	4	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
	5	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	
	6	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft									
Microfibre roller	7	4.114-007.0	microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	
	8	4.114-006.0	microfibre	638 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0.	
	9	4.114-005.0	microfibre	532 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.













MISSING PICTURE: M:\print\6906563_ dd_2_24318_acc.tif

12

		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description
Disc brushes	<u> </u>							
Disc brush	1	4.905-019.0	very soft	385 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.
	2	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.
	3	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors.
	4	4.905-021.0	hard	385 mm	black	1 piece(s)		Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.
	5	4.905-011.0	very soft	355 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.
	8	8 4.9	8 4.905-013.0 hard 355 mm b	black	1 piece(s)		Disc brush, hard, black, 355 mm diameter. For stubborn of and basic cleaning. Only for insenstive floors. Bristles: Gr Tynex 180, 1mm thick, 41 mm long.	
	9	4.905-015.0	very soft	300 mm	White	1 piece(s)		For cleaning sensitive floors and polishing.
	10	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.
	11	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.
	12	4.905-017.0	hard	300 mm	black	1 piece(s)		Disc brush, hard, black, 300 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.

[■] Included in the scope of supply.

□ Available accessories.



















			 			_
		Order no.		Price	Description	
Bounds boards		Order no.		Price	Description	Ц
Brush heads Brush head R 75 S	1	2.763-006.0			Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush head R 65 S	2	2.763-004.0			Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
Brush head R 55 S	3	2.763-002.0			Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	
D 75 S brush head	4	2.763-005.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
D 65 S brush head	5	2.763-003.0			Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
D 55 S brush head	6	2.763-001.0			Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brushhead. The cleaning solution will be run optimally to the squeegee: Packed separately.	
Floor head S 65	7	2.763-030.0			Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	
Connection kit S 65	8	4.036-061.0			Kit for connecting the S 65 floor head to the B 90 R.	

[■] Included in the scope of supply.

Available accessories.











		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Other attachment kits	_			•				
Flashing beacon	1	2.641-718.0			1 piece(s)		Increases the safety of the working environment.	
Auto-Fill	2	2.641-748.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Support roller kit	3	2.641-773.0			1 piece(s)		Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes.	
Suction hose accessories	4	4.444-015.0	3.25 m		1 niece(s)		For vacuuming water out of corners or containers (e.g.	

[■] Included in the scope of supply.

Available accessories.