



### T 10/1 Adv

With the new T 10/1 Professional we enlarge our dry vacuum program with a machine made especially for the target group building service contractors. It involves a pluggable power cord (12 m), an antistatic bend, a power cord integration, an extra strong main filter for vacuuming without filter bag and a coloured plug.

#### 1 Large, round permanent main filter of washable fleece

Extremely strong and dense enough to allow vacuuming for longer times without a filter bag.

### 2 Maintenance-friendly

The cable can be replaced quickly and easily by simply loosening 2 screws. This saves time and service costs.

# **TECHNICAL DATA AND EQUIPMENT**





### T 10/1 Adv

- Plug-in power cable
- Parking position for floor nozzle
   Extra strong permanent main filter

Technical data		
Order no.		1.527-411.0
EAN code		4039784725171
Air flow rate	I/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	1	10
Max. rated input power	W	800
Standard nominal width		35
Cable length	m	12
Sound pressure level	dB(A)	59
Sound power level	dB(A)	73
Weight	kg	6.3
Dimensions (L × W × H)	mm	355 × 310 × 385

Equipment		
Suction hose	m	2.5
Suction Tube	piece(s) / m	2 × 0.5 / Metal
Filter bag		fleece
Switchable floor nozzle	mm	270
Antistatic system		
Container material		plastic
Floor nozzle		
Permanent filter basket, fleece		

■ Included in the scope of supply.

## T 10/1 ADV 1.527-411.0































		1		1					$\top$
		Order no.	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter									
Set filter motor protection	1	2.889-119.0	3 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	•
Main filter baskets									
Permanent main filter basket	2	5.731-649.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	
Fleece filter bags (three-ply)		1		_					
Fleece filter bags	3	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	
Fleece filter bags, bulk value pack	4	6.904-321.0	200 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.	•
Bend, plastic		1		,	,				
Bend	5	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	•
Combi-nozzles, dry		1	1		1	L		1	
Combi-nozzle	6	2.889-129.0	1 piece(s)	ID 35		295 mm		Plastic floor nozzle, ID 35 and switchable.	
Parquet nozzle	7	6.905-078.0	1 piece(s)	ID 32		360 mm		Parquet nozzle NW 32 with generous 360 mm working width.	
Suction tubes, metal		1		_					
Suction tube, chrome-plated	8	6.902-074.0	1 piece(s)	ID 35	505 mm			Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	
Complete suction hoses (clip system	1							,	
Suction hose	9	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	
Paper filter bags (two-ply)		ı	1			1		1	
Paper filter bags	10	6.904-333.0	10 piece(s)					10 paper filter bags (BIA-C dust class M), suitable for all industrial dry vacuum cleaners (e.g. T 7/1 und T 10/1).	
Paper filter bags, bulk pack	11	6.904-337.0	300 piece(s)					For bulk consumers: 300 paper filter bags (BIA-C dust class M) suitable for all T 7/1 and T 10/1 industrial dry vacuum cleaners.	
Fabric filter bag		,							
Fabric filter bag	12	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T $10/1$ and T $12/1$ models.	
Crevice nozzles				,					
Crevice nozzle	13	6.903-403.0	1 piece(s)	ID 32	210 mm			Plastic crevice tool (DN 32) for industrial dry vacuum cleaners for vacuuming in crevices and corners.	
	14	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	
Upholstery nozzles		ı							
Upholstery nozzle DN 35	15	6.905-998.0						Plastic upholstery nozzle in DN 35.	
Suction brushes	١	1	1	L.D. 00	ı	l =0	ı	In	
Suction brush	16	6.903-887.0	1 piece(s)	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	
Turbo nozzles		1 2 000 1125		LID 22	1	1466		Distinct who we had store a seed of COV	
Turbo upholstery nozzle	17	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	
Turbo floor nozzle	18	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	
Suction hoses (clip system)			,		,				
Suction hose	19	2.889-163.0	1 piece(s)	ID 35	2.5 m			Electroconductive suction hose, NW 35. Length: 2.5 metres.	
- Individed in the second of such	la c	- Acceptable as							

## T 10/1 ADV 1.527-411.0







		Order no.	Quantity	ID	Length	Width	Price	Description	
Connecting sleeves									
Adapter, ID 32/35, with internal thread	20	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	
Expansion pieces (tube -> nozzle)									
Adapter	21	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	

<sup>■</sup> Included in the scope of supply. 

Available accessories.