




K 4 Compact *GB

Easy to transport and quick to stow away: the K 4 Compact for occasional use on moderate dirt. Includes telescopic handle and water-cooled motor. 30 m²/h area performance.



1 Telescopic handle

- The aluminium telescopic handle can be extended for transport and retracted again for storage.



2 Water-cooled motor and outstanding performance

- The water-cooled motor impresses with its particularly long service life and high power.




3 Hose storage on front cover

- The hose can be conveniently hung up on the front cover.



4 Integrated accessory storage on the device

- Convenient and space-saving accessory storage.



K 4 Compact *GB

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data

Order no.	1.637-501.0	
EAN code	4054278497198	
Pressure	bar / MPa	20-130 /
Flow rate	l/h	420
Max. inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	11
Dimensions (L x W x H)	mm	348 x 308 x 520

Equipment

High-pressure gun	G 180 Q	
Vario Power Jet	■	
High-pressure hose	m	6
Quick Connect on the side of the device	■	
Water suction	■	
Integrated water filter	■	
A3/4" garden hose connector adapter	■	
Telescopic handle	■	
Water-cooled motor	■	

■ Included in the scope of supply.

K 4 COMPACT *GB 1.637-501.0

KÄRCHER



		Order no.					Price	Description	
Spray lances									
VP 145 vario power jet Full Control for K 4-K 5	1	2.642-725.0						Vario power spray lance for pressure washers in classes K 4 to K 5. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 145 dirt blaster Full Control for K 4-K 5	2	2.642-728.0						Dirt blaster with powerful middle rotary nozzle for Kärcher pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Telescopic spray lance	3	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
Splash guard	4	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	5	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	6	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MP 145 multi power jet for K 3-K 5	8	2.643-239.0						Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	9	2.643-253.0						VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Trigger guns									
G 180 Q Quick Connect trigger gun	10	2.642-889.0						The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	■
Surface cleaners									
T 7 Plus T-Racer surface cleaner	11	2.644-074.0						Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
T 5 T-Racer surface cleaner	12	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	13	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
Replacement nozzles accessories for T 350	14	2.643-335.0						The high-quality replacement nozzles guarantee easy nozzle changing and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer ranges K 2 to K 7.	□
T-Racer T 250 Surface Cleaner	15	2.642-194.0						T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.	□

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB 1.637-501.0

KÄRCHER



		Order no.				Price	Description	
T 450 T-Racer surface cleaner	16	2.643-214.0					Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	<input type="checkbox"/>
PS 40 power scrubber surface cleaner	17	2.643-245.0					Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	<input type="checkbox"/>
T 550 T-Racer surface cleaner	18	2.643-251.0					T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces, pressure adjustment and handle.	<input type="checkbox"/>
T 350 T-Racer surface cleaner	19	2.643-252.0					With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	<input type="checkbox"/>
Replacement nozzles accessories	20	2.643-338.0					High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	<input type="checkbox"/>
Brushes								
WB 150 power brush	21	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 120 rotating wash brush	22	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 120 rotating wash brush Car & Bike	23	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	24	2.643-233.0					Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Wheel washing brush	25	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Garden hose adapter	26	2.640-732.0					Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
High-pressure replacement hose: With anti-twist system and Quick Connect system								
H 10 Q Flex PremiumFlex anti twist	27	2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system								
H 9 Q high-pressure hose Quick Connect	28	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB

1.637-501.0

KÄRCHER



		Order no.					Price	Description	
High-Pressure replacement hose kit system from 1992									
Extension hose adapter kit	29	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 Q Quick Connect extension hose	30	2.641-710.0						High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	31	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
XH 10 QR extension hose Quick Connect rubber	32	2.641-708.0						High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning									
PC 20 roof gutter and pipe cleaning kit	33	2.642-240.0						The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	34	2.637-767.0						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	35	2.637-729.0						Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Foam jet									
FJ 6 foam jet	36	2.643-147.0						FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	37	2.643-143.0						Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	38	2.643-144.0						Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	39	2.643-145.0						Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
Miscellaneous									
SH 5 suction hose	40	2.643-100.0						Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
Sand and wet-blasting kit	41	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	42	2.640-733.0						Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	43	4.730-059.0						Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	44	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB

1.637-501.0



		Order no.					Price	Description	
Organiser	45	2.641-630.0						Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 4 COMPACT *GB 1.637-501.0

KÄRCHER



		Order no.					Price	Description	
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	8	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	10	2.645-192.0						Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	11	2.645-191.0						Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.