



## K 2 Power Control

With support from the application consultant in the app: the Kärcher K 2 Power Control pressure washer for cleaning bicycles, garden tools or garden furniture, for example.



### 1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.

### 2 Spray gun and spray lances with Quick Connect

- Easy attaching and turning - two different spray lances are available.
- Optimal pressure setting - three pressure settings and one detergent setting can be selected.

### 3 Height-adjustable telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.

### 4 Integrated suction hose

- For quick, convenient and comfortable application of detergents with the pressure washer.
- Can be used without complication. Suction hose for the use of detergents.



Page 2  
 5.Object  
 page6357512643240\_std\_1\_272x272px.jpg wurde anstatt PAGE6357512643240\_std\_1\_272x272px.jpg platziert.  
 6.Object  
 page6357512643240\_std\_1\_272x272px.jpg wurde anstatt PAGE6357512643240\_std\_1\_272x272px.JPG platziert.  
 2.Object  
 page6357512641812\_std\_01\_272x272px.jpg wurde anstatt

## K 2 Power Control

- Spray gun with Click Vario Power spray lance
- Telescopic handle
- Spray lance storage

### Technical data

<b>Order no.</b>	1.673-602.0	
<b>EAN code</b>	4054278604060	
<b>Current type</b>	<b>V / Hz</b>	220 - 240 / 50 - 60
<b>Pressure</b>	<b>bar / MPa</b>	20 - max. 110 / 2 - max. 11
<b>Flow rate</b>	<b>l/h</b>	max. 360
<b>Inlet temperature</b>	<b>°C</b>	max. 40
<b>Area performance</b>	<b>m²/h</b>	20
<b>Connected load</b>	<b>kW</b>	1.4
<b>Weight without accessories</b>	<b>kg</b>	3.99
<b>Dimensions (L × W × H)</b>	<b>mm</b>	246 × 280 × 586

### Equipment

<b>High-pressure spray gun</b>	G 120 Q	
<b>Vario Power Jet</b>	-	
<b>Click Vario Power spray lance</b>	■	
<b>Dirt Blaster</b>	■	
<b>High-pressure hose</b>	<b>m</b>	5
<b>Quick Connect on the side of the device</b>	■	
<b>Detergent application via</b>	Suction	
<b>Integrated water filter</b>	■	
<b>A3/4" garden hose connector adapter</b>	■	
<b>Telescopic handle</b>	■	

■ Included in the scope of supply.

# K 2 POWER CONTROL

## 1.673-602.0

**KÄRCHER**



		Order no.				Price	Description	
<b>Spray lances</b>								
VP 120 vario power jet for K 2-K 3	1	2.642-724.0					Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 120 dirt blaster for K 2-K 3	2	2.642-727.0					Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
TLA 4 telescopic spray lance	3	2.644-190.0					Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	□
Façade & glass cleaning kit	4	2.644-249.0					Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	□
Splash guard	5	2.642-706.0					Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	6	2.638-817.0					Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under-bodies.	□
1-step lance extension	7	2.643-240.0					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0					VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
Telescopic spray lance	9	2.642-347.0					Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
<b>Surface cleaners</b>								
T 5 T-Racer surface cleaner	10	2.644-084.0					Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	11	2.644-123.0					The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
PS 30 Plus power scrubber surface cleaner	12	2.644-212.0					The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	□
<b>Brushes</b>								
WB 150 power brush	13	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□
WB 120 rotating wash brush	14	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	□
WB 120 rotating wash brush car & bike	15	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	□

■ Included in the scope of supply. □ Available accessories.

# K 2 POWER CONTROL

## 1.673-602.0

**KÄRCHER**




Page 2  
0.Object  
page6357512630790\_272x272px.jpg  
wurde anstatt  
GE6357512642720\_272x272px.JPG  
plaziert.  
22  
1.Object  
page6357512640799\_272x272px.jpg  
wurde anstatt  
GE6357512642720\_272x272px.JPG  
plaziert.

		Order no.				Price	Description	
WB 60 soft surface wash brush	16	2.643-233.0					Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	<input type="checkbox"/>
Wheel washing brush	17	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Wash brush	18	6.903-276.0					Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>
<b>Trigger guns</b>								
G 180 Q Quick Connect trigger gun	19	2.642-889.0					The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	<input type="checkbox"/>
<b>High-pressure replacement hose: With anti-twist system and Quick Connect system</b>								
H 10 Q Flex PremiumFlex anti twist	20	2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	<input type="checkbox"/>
<b>High-pressure replacement hose: system from 2009 with Quick Connect system</b>								
H 9 Q high-pressure hose Quick Connect	21	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
<b>High-Pressure replacement hose kit system from 1992</b>								
Extension hose adapter kit	22	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
<b>High-pressure extension hose: System for devices with Quick Connect system</b>								
XH 6 Q extension hose Quick Connect	23	2.641-709.0					High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adaptor. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
<b>Pipe cleaning</b>								
PC 20 roof gutter and pipe cleaning kit	24	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	25	2.637-767.0					Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	26	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
<b>Foam jet</b>								
FJ 6 foam jet	27	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	28	2.643-143.0					Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	29	2.643-144.0					Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# K 2 POWER CONTROL 1.673-602.0



		Order no.					Price	Description	
<b>Miscellaneous</b>									
Sand and wet-blasting kit	30	2.638-792.0						Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	31	2.640-733.0						Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	32	4.730-059.0						Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	33	2.640-729.0						Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.



Page 1  
2.Object  
page6750832645156\_  
std\_2\_272x272px.jpg  
wurde anstatt  
PAGE6750832645156\_  
std\_2\_272x272px.JPG  
plaziert.

3.Object  
page6750832645258  
std\_1\_272x272px.jpg  
wurde anstatt  
PAGE6750832645258\_  
std\_1\_272x272px.JPG  
plaziert.



4.Object page675083pri-  
mo\_flex\_hose\_  
std\_4\_272x272px.jpg  
wurde anstatt PAGE-

		Order no.					Price	Description	
<b>Hose storage and hose trolley</b>									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
<b>Hoses</b>									
Hose set for pressure washers	3	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	4	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	5	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0						PrimoFlex® quality garden hose (3/4"), 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	7	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	8	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	9	2.645-324.0							<input type="checkbox"/>
<b>Hose connection systems</b>									
Universal hose coupling Plus	10	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.