

K 2 Power Control Car

With support from the application consultant in the app: the Kärcher K 2 Power Control pressure washer for cleaning bicycles, garden tools or garden furniture, for example. Incl. Car Cleaning Kit.











Height-adjustable telescopic handle

Completely retractable for optimal storage.

For a convenient pulling height.



1 Home & Garden app

- The Kärcher Home & Garden app makes you a cleaning expert.
- Make use of our extensive Kärcher knowledge for the perfect cleaning results.

2 Spray gun and spray lances with Quick Connect

- Easy attaching and turning two different spray lances are available.
- Optimal pressure setting three pressure settings and one detergent setting can be selected.

4 Integrated suction hose

- For quick, convenient and comfortable application of detergents with the pressure washer.
- Can be used without complication. Suction hose for the use of detergents.

TECHNICAL DATA AND EQUIPMENT





K 2 Power Control Car

- Spray gun with Click Vario Power spray lance
- Telescopic handle
- Spray lance storage

Technical data		
Order no.		1.673-605.0
EAN code		4054278822112
Current type	V / Hz	220 - 240 / 50 - 60
Pressure	bar / MPa	20 - max. 110 / 2 - max. 11
Flow rate	l/h	max. 360
Inlet temperature	°C	max. 40
Area performance	m²/h	20
Connected load	kW	1.4
Weight without accessories	kg	3.99
Dimensions (L × W × H)	mm	246 × 280 × 586

Equipment		
High-pressure spray gun		G 120 Q
Vario Power Jet		-
Click Vario Power spray lance		I
Dirt Blaster		I
High-pressure hose	m	5
Quick Connect on the side of the de	vice	I
Detergent application via		Suction
Integrated water filter		
A3/4" garden hose connector adapte	er	I
Car Cleaning Kit		Wash brush, foam nozzle, Car Shampoo, 0.5 l
Telescopic handle		I

■ Included in the scope of supply.

K 2 POWER CONTROL CAR 1.673-605.0































			1	1		T.	_
		Order no.			Price	Description	L
Brushes			1				
Wash brush	1	6.903-276.0				Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Karcher K 2 to K 7 pressure washers.	-
WB 150 power brush	2	2.643-237.0				WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	3	2.644-060.0				Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
WB 120 rotating wash brush car & bike	4	2.644-129.0				Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	5	2.643-233.0				Soft flat brush for cleaning larger areas such as car, caravan boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	n,
Wheel washing brush	6	2.643-234.0				Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	
Spray lances							
VP 120 vario power jet for K 2-K 3	7	2.642-724.0				Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergen jet to high-pressure jet, simply by turning the spray lance.	
DB 120 dirt blaster for K 2-K 3	8	2.642-727.0				Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	•
TLA 4 telescopic spray lance	9	2.644-190.0				Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	
Façade & glass cleaning kit	10	2.644-249.0				Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	
Splash guard	11	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	12	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	13					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	14	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Telescopic spray lance	15	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gur Weight: ca. 2 kg	n. 🗆

[■] Included in the scope of supply.

Available accessories.

K 2 POWER CONTROL CAR 1.673-605.0





























		Order no.					Price	Description	
Surface cleaners		0.44.1101							
T 5 T-Racer surface cleaner	16	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	
PS 30 power scrubber surface cleaner	17	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	
PS 30 Plus power scrubber surface cleaner	18	2.644-212.0						The PS 30 Plus power scrubber removes stubborn dirt with its three high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges are effortlessly cleaned.	
Trigger guns G 180 Q Quick Connect trigger gun	19	2.642-889.0						The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	
High-pressure replacement hose: W	/ith an	ti-twist system a	nd Quick Connect	system	l			ergonomic when eleaning with Karener pressure washers.	
H 10 Q Flex PremiumFlex anti twist	20							Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	
High-pressure replacement hose: sy	1		Duick Connect sys	stem 	ı	l	ı	Our bight annual and beautiful to the Williams	
H 9 Q high-pressure hose Quick Connect	21	2.041-721.0						9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	
High-Pressure replacement hose ki		ı	ı		ı		ı		
Extension hose adapter kit	22	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Syst	em for	1	ick Connect syste	em	ı				
XH 6 Q extension hose Quick Connect	23	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	
Pipe cleaning		1	ı		ı				
PC 20 roof gutter and pipe clean- ing kit	24	2.642-240.0						The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	25	2.637-767.0						Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	26	2.637-729.0						Dina cleaning bit with 7.5 m has for clearing blockers in	
Foam jet		1	l		I.		1	pipes, arams and downpipes.	
FJ 6 foam jet	27	2.643-147.0						FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	28	2.643-143.0						Ultra foam cleaner + quick-change system FJ 10 C Connect	

[■] Included in the scope of supply.

□ Available accessories.

K 2 POWER CONTROL CAR 1.673-605.0











		Order no.		ı	Price	Description	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	29	2.643-144.0				Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Miscellaneous							
Sand and wet-blasting kit	30	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.	
Vario joint	31	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	
Water filter	32	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	33	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

 $[\]blacksquare$ Included in the scope of supply. $\hfill\Box$ Available accessories.

K 2 POWER CONTROL CAR 1.673-605.0





















			T				_
		Order no.			Price	Description	
Hose storage and hose trolley							Ţ
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	
Hoses							Ļ
Hose set for pressure washers	3	2.645-156.0				Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqua Stop.	a [
Water supply hose set	4	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	[
PrimoFlex* hose 1/2" - 20 m	5	2.645-138.0				The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	[
PrimoFlex® hose 3/4" - 25 m	6	2.645-142.0				PrimoFlex* quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	[
Hose Performance Plus 1/2" -20m	7	2.645-318.0				Flexible and extremely resistant to kinks thanks to high-quality multi-layered woven material: the new 20-metre long Performance Plus 1/2" garden hose. Ensures constant water flow.	[
Hose Performance Plus 3/4" -25m	8	2.645-322.0				Easy-to-handle, long-lasting and weather-resistant: the 25-metre long Performance Plus 3/4" garden hose. Flexible, ultra-robust and extremely resistant to kinks – for constant water flow.	
Performance Premium hose, 1/2" -20 m	9	2.645-324.0				The hose innovation from Kärcher: the ultra-flexible and kink-resistant Performance Premium garden hose. Diameter 1/2". Length: 20 m. With Kärcher Premium anti-torsion technology.	:
Hose connection systems							Ţ
Universal hose coupling Plus	10	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	- 1 1
Universal hose coupling Plus with Aqua Stop	11	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with al click systems.	С

[■] Included in the scope of supply.

Available accessories.