



K 3 Full Control *GB

The ideal pressure washer for occasional use on light dirt. The K 3 Full Control displays the pressure on the trigger gun – ensuring the right pressure for every surface.



1 Power gun Full Control and spray lances

- Three pressure settings and a detergent setting ensure the optimal setting for every surface.
- The pressure can be regulated by twisting the Vario Power spray lance until the desired level is shown.

2 Supports for accessories, high-pressure gun and cable

- Spray lances are always accessible and within easy reach.
- Generous hook for tidy storage of the hose and cable directly on the device.

3 Clean tank solution

- The practical detergent tank simplifies the application of detergents.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

4 Telescopic handle

- For a convenient pulling height.
- Completely retractable for optimal storage.



K 3 Full Control *GB

- Full Control Power Gun with manual pressure level display
- Telescopic handle
- Detergent tank

Technical data

Order no.	1.676-027.0	
EAN code	4054278536163	
Pressure	bar / MPa	20-120 / 2-12
Flow rate	l/h	380
Max. inlet temperature	°C	max. 40
Connection load	kW	1.6
Weight without accessories	kg	4.7
Dimensions (L x W x H)	mm	307 x 280 x 677
Current type	V	220-240

Equipment

High-pressure gun	G 120 Q Full Control	
Vario Power Jet	■	
High-pressure hose	m	6
Detergent application via	Tank	
Integrated water filter	■	
A3/4" garden hose connector adapter	■	
Removable cleaning agent tank	■	
Telescopic handle	■	
■ Included in the scope of supply.		

K 3 FULL CONTROL *GB

1.676-027.0

KÄRCHER



		Order no.					Price	Description	
Spray lances									
VP 120 vario power jet Full Control for K 2-K 3	1	2.642-724.0						Vario power spray lance for pressure washers in classes K 2 to K 3. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 120 dirt blaster Full Control for K 2-K 3	2	2.642-727.0						Dirt blaster with powerful entry rotary nozzle for Kärcher pressure washers in classes K 2 and K 3. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Telescopic spray lance	3	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
Splash guard	4	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	5	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	6	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MP 145 multi power jet for K 3-K 5	8	2.643-239.0						Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Trigger guns									
G 120 Q Full Control Power Gun	9	2.643-823.0						The G 120 Q Full Control high-pressure gun for Kärcher K 3 Full Control devices displays the different pressure levels and detergent mode. With Quick Connect.	■
Surface cleaners									
T 5 T-Racer surface cleaner	10	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	11	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
Replacement nozzles accessories for T 350	12	2.643-335.0						The high-quality replacement nozzles guarantee easy nozzle changing and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer ranges K 2 to K 7.	□
PS 40 power scrubber surface cleaner	13	2.643-245.0						Power Scrubber PS 40 with 3 integrated high-pressure nozzles. Eliminates stubborn dirt from various surfaces powerfully, reliably and in a time-saving manner. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
T 350 T-Racer surface cleaner	14	2.643-252.0						With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	□

■ Included in the scope of supply. □ Available accessories.

K 3 FULL CONTROL *GB

1.676-027.0

KÄRCHER



		Order no.					Price	Description	
Replacement nozzles accessories	15	2.643-338.0						High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	<input type="checkbox"/>
Brushes									
WB 150 power brush	16	2.643-237.0						WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	<input type="checkbox"/>
WB 120 rotating wash brush	17	2.644-060.0						Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 120 rotating wash brush Car & Bike	18	2.644-129.0						Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	19	2.643-233.0						Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.	<input type="checkbox"/>
Wheel washing brush	20	2.643-234.0						Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Garden hose adapter	21	2.640-732.0						Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
WB 100 rotating wash brush	22	2.643-236.0						Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.	<input type="checkbox"/>
High-pressure replacement hose: With anti-twist system and Quick Connect system									
H 10 Q Flex PremiumFlex anti twist	23	2.643-585.0						Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system									
H 9 Q high-pressure hose Quick Connect	24	2.641-721.0						9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992									
Extension hose adapter kit	25	2.643-037.0						Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system									
XH 10 Q Quick Connect extension hose	26	2.641-710.0						High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	27	2.641-709.0						High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3 FULL CONTROL *GB 1.676-027.0

KÄRCHER



									Order no.			Price	Description	
XH 10 QR extension hose Quick Connect rubber	28	2.641-708.0											High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning														
PC 20 roof gutter and pipe cleaning kit	29	2.642-240.0											The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	30	2.637-767.0											Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	31	2.637-729.0											Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Foam jet														
FJ 6 foam jet	32	2.643-147.0											FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	33	2.643-143.0											Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	34	2.643-144.0											Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	35	2.643-145.0											Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
Miscellaneous														
Sand and wet-blasting kit	36	2.638-792.0											Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	37	2.640-733.0											Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	38	4.730-059.0											Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	39	2.640-729.0											Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>
Organiser	40	2.641-630.0											Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 3 FULL CONTROL *GB

1.676-027.0

KÄRCHER



		Order no.					Price	Description	
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0							<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0						Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0						Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.