



BR 40/10C

With the BR 40/10 we present the successor of the BR 400, the most economic machine in its class. This compact and powerful machine has a working width of 400 mm and a tank volume of 10 l. The Advance version is equipped with additional transport wheels and a brush contact pressure adjustment.

1 Powerful and fast

- Two high-speed rotating roller brushes with high contact pressure.
- Two suction lip strips soak up the water - either forwards or backwards.

2 Low clearance height

- Reaches under furniture effortlessly.
- The push handle can be folded down in both directions.

3 Ease of servicing

- The suction lips and brushes are easy to replace without tools.
- Water distribution bar can simply be removed and cleaned as necessary.

4 Ergonomic handle

- For better operating comfort.
- With integrated control of water inflow and brush.



BR 40/10C

- High scrubbing performance
- With adjustable contact pressure
- Includes roller brushes

Technical data

| | | |
|----------------------------------|------------------------|------------------|
| Order no. | 1.783-311.0 | |
| EAN code | 4039784541498 | |
| Brush working width | mm | 400 |
| Working width, vacuuming | mm | 400 |
| Rated input power / Amps | W | 2300 |
| Fresh/dirty water tank | l | 10 / 10 |
| Brush contact pressure | g/cm ² / kg | 100-200 / 20-30 |
| Brush speed | rpm | 1100 |
| Max. area performance | m ² /h | 400 |
| Current type | V / Hz | 220-240 / 50 |
| Weight (with accessories) | kg | 30 |
| Dimensions (L × W × H) | mm | 520 × 470 × 1150 |

Equipment

| | |
|------------------------------------|---|
| Roller brush | ■ |
| 2-tank system | ■ |
| Mains operation | ■ |
| Variable contact pressure | ■ |
| Transport wheels | ■ |
| Two squeegees, straight | ■ |
| ■ Included in the scope of supply. | |


BR 40/10C 1.783-311.0



| | | Order no. | Length | Colour | Quantity | Price | Description | |
|--|---|-------------|--------|--------|-------------|-------|--|-------------------------------------|
| Squeegee, complete | | | | | | | | |
| Squeegee, straight | 1 | 4.777-097.0 | 435 mm | blue | 1 piece(s) | | Straight, standard. | <input checked="" type="checkbox"/> |
| | 2 | 4.777-098.0 | 435 mm | grey | 1 piece(s) | | Straight, oil-resistant. | <input type="checkbox"/> |
| Squeegees for suction bars | | | | | | | | |
| Suction lip set, oil-resistant, 10x BR 40/10 | 3 | 4.035-288.0 | 435 mm | grey | 10 piece(s) | | Set, consisting of 10 oil-resistant suction lips, to be used with our BR 40/10 scrubber drier. | <input type="checkbox"/> |
| Suction lip set 10x BR 40/10 | 4 | 4.035-253.0 | 435 mm | blue | 10 piece(s) | | Rubber lip for squeegees 4.777-097.0. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.


BR 40/10C 1.783-311.0



| | | Order no. | Hardness / Brush type | Length | Colour | Quantity | Price | Description | |
|-----------------------|---|-------------|-----------------------|--------|---------|------------|-------|--|---|
| Roller brushes | | | | | | | | | |
| Roller brush | 1 | 4.762-003.0 | medium | 400 mm | red | 1 piece(s) | | Roller brush, medium-hard, red. Length: 400 mm. For all common cleaning tasks. Also suitable for sensitive floors. Bristles made from polypropylene; 0.4 mm thick, 20 mm long. | ■ |
| | 2 | 4.762-250.0 | very soft | 400 mm | White | 1 piece(s) | | Roller brush, very soft, white. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long. | □ |
| | 3 | 4.762-274.0 | soft | 400 mm | natural | 1 piece(s) | | Very soft, made of horsehair, perfect for spray cleaning and for polishing. | □ |
| | 4 | 4.762-251.0 | high / low | 400 mm | orange | 1 piece(s) | | Roller brush, high/low, medium-hard, orange. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long. | □ |
| | 5 | 4.762-252.0 | hard | 400 mm | green | 1 piece(s) | | Roller brush, hard, green. Length: 400 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long. | □ |
| | 6 | 4.762-481.0 | very hard | 400 mm | black | 1 piece(s) | | Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only. | □ |
| | 7 | 4.762-254.0 | soft | 400 mm | blue | 1 piece(s) | | Carpet brush, soft, blue. Length: 400 mm. With wear-resistant star-wheel mechanism. For cleaning textiles. Bristles: Polypropylene, 0.25 mm thick, 20 mm long. | □ |
| | 8 | 4.762-000.0 | medium-hard | 400 mm | green | 1 piece(s) | | light green, for velour (up to 3 mm pile height) | □ |

■ Included in the scope of supply. □ Available accessories.

BR 40/10C 1.783-311.0



| | | Order no. | Hardness / Brush type | Length | Diame- ter | Colour | Price | Description | |
|-------------------------|---|-------------|--------------------------|--------|---------------|-------------|-------|--|--------------------------|
| Pad roller shaft | | | | | | | | | |
| Pad roller shaft | 1 | 4.762-228.0 | | 400 mm | | | | Pad roller shaft suitable for holding roller pads or microfibre rollers. | <input type="checkbox"/> |
| Roller pads | | | | | | | | | |
| Stripping roller | 2 | 8.635-691.0 | | 400 mm | | brown | | Compatible with BRS 40/1000 C; BR 40/10 C; BR 40/25 C. | <input type="checkbox"/> |
| Roller pad on sleeve | 3 | 6.369-724.0 | soft | 400 mm | 96 mm | yellow | | Roller pads pre-assembled on sleeves, for polishing and cleaning non-textured floors. In conjunction with pad roller shaft 4.762-228.0. | <input type="checkbox"/> |
| | 4 | 6.369-726.0 | medium | 400 mm | 96 mm | red | | For cleaning non-textured floors. In conjunction with pad roller shaft 4.762-228.0. | <input type="checkbox"/> |
| | 5 | 6.369-725.0 | hard | 400 mm | 96 mm | green | | For removing stubborn dirt and deep cleaning of non-textured floors. In conjunction with pad roller shaft 4.762-228.0. | <input type="checkbox"/> |
| Microfibre shaft | | | | | | | | | |
| Microfibre roller | 6 | 4.114-004.0 | microfibre | 400 mm | 96 mm | light green | | Micro fibre roller, length 400 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

BR 40/10C 1.783-311.0



| | | Order no. | Length | Colour | Quantity | Price | Description | |
|------------------------------------|---|-------------|--------|--------|------------|-------|---|--------------------------|
| Miscellaneous | | | | | | | | |
| Filling hose | 1 | 6.680-124.0 | 1.5 m | | 1 piece(s) | | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | <input type="checkbox"/> |
| Extension cable | 2 | 6.647-022.0 | 20 m | | 1 piece(s) | | Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve. | <input type="checkbox"/> |
| Carpet kit | | | | | | | | |
| Carpet cleaning attachment kit | 3 | 2.783-014.0 | | | 1 piece(s) | | For intensive carpet cleaning. 2 suction lips for carpets + 2 blue roller brushes + 1 l RM 764 + 0.5 l RM 769. | <input type="checkbox"/> |
| Dosing aids | | | | | | | | |
| DS 3 Cleaning Agent Dosing Station | 4 | 2.641-811.0 | | | 1 piece(s) | | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717). | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.